

Modified numerals and split disjunction: the first-order case *

Maria Aloni and Peter van Ormondt

{M.D.Aloni,P.vanOrmondt}@uva.nl
Institute for Logic, Language and Computation
University of Amsterdam

Abstract

We present a number of puzzles arising for the interpretation of modified numerals. Following Buring and others we assume that the main difference between comparative and superlative modifiers is that only the latter convey disjunctive meanings. We further argue that the inference patterns triggered by disjunction and superlative modifiers are hard to capture in existing semantic and pragmatic analyses of these phenomena (neo-Gricean or grammatical alike), and we propose a novel account of these inferences in the framework of bilateral state-based modal logic defining a first order extension of Aloni (2021)'s BSML.

1 Introduction

Modified numerals are constructions where a numeral n combines with a modifier to form more complex expressions like *less than 18*, *at least 5*, *exactly 7* or *between 10 and 15*. There are many such constructions but in this paper we will focus on the pairs of expressions { at least / at most } n and { more than / fewer than } n . Following Hackl (2001); Nouwen (2010b) we call expressions in the former pair *superlative quantifiers* and the expressions in the latter pair *comparative quantifiers*.¹

On a naive view one would perhaps expect the following expressions to be interchangeable.

- (1) a. At least n A are B \iff More than $n - 1$ A are B .
b. At most n A are B \iff Fewer than $n - 1$ A are B .

*The authors wish to thank Aleksi Anttila for helpful comments and suggestions.

¹Other examples of modified numerals are differential quantifiers, disjunctive quantifiers, locative quantifiers, directional quantifiers (see Nouwen, 2010a,b).

At least since [Geurts and Nouwen \(2007\)](#) it is clear that superlative and comparative quantifiers are in fact quite distinct. One of the observed differences is that superlative quantifiers generate ignorance effects, while comparative quantifiers do not ([Nouwen, 2010b](#)).²

- (2) a. At least/at most $n \varphi \rightsquigarrow$ Speaker does not know how many φ
- b. More/fewer than $n \varphi \not\rightsquigarrow$ Speaker does not know how many φ

As an illustration consider the contrast between the following two sentences from [Blok \(2019\)](#):

- (3) a. ?I have at least three children.
- b. I have more than two children.

(3-a) is odd because it gives rise to the unlikely implication that the speaker doesn't know how many children she has. (3-b) instead implicates no such thing.

The same point can be made with the downward entailing quantifiers as in this following example from [Nouwen \(2010b\)](#):

- (4) a. ?A hexagon has at most 10 sides.
- b. A hexagon has fewer than 11 sides.

In the next section we will present three puzzles arising for the interpretation of modified numerals. Following [Büring \(2008\)](#), we will show that these puzzles can be solved if we assume that superlative quantifiers convey disjunctive meanings, while comparative ones do not. The crucial observation is that disjunctions and superlative modifiers generate the same inferences. Büring proposed to derive these inferences as Gricean conversational implicatures ([Grice, 1975, 1989](#)). Neo-Gricean ([Sauerland, 2004](#)) as well as grammatical accounts of implicatures ([Chierchia, 2004](#); [Chierchia et al., 2012](#); [Fox, 2007](#)), however, have difficulties in accounting for the whole range of inference patterns ([Crnič et al., 2015](#); [Kennedy, 2015](#); [Schwarz, 2013, 2016](#)). We will instead propose an account using the logic of pragmatic enrichment presented in ([Aloni, 2021](#)). The main difference with traditional grammatical or neo-Gricean approaches is that on Aloni's view such pragmatic inferences neither follow from some grammatical operation nor are the result of (complex) reasoning based on alternative expressions speakers could have used, but rather are a direct consequence of something else speakers do in conversation: when interpreting a sentence they create pictures of the world

²[Westera and Brasoveanu \(2014\)](#) challenged this generalisation. On their view, both superlative and comparative modifiers can generate ignorance inferences and whether they do depends on the question under discussion (QUD). [Cremers et al. \(2019\)](#) however experimentally attested that precise knowledge negatively affects the acceptability of superlative modifiers more than the acceptability of comparative ones across all QUD types.

and by doing so they favour vivid and concrete representations systematically neglecting empty configurations. Let us refer to this as the *neglect zero* assumption. Aloni (2021) showed that free choice (Kamp, 1974; Zimmermann, 2000) and related inferences directly follow from *neglect zero*. Her analysis is implemented in a bilateral state-based modal logic (BSML) modelling assertion and rejection conditions rather than truth. In this paper we will present a first order version of BSML, a quantified bilateral state-based modal logic (QBSML), and apply it to explain modified numerals and the puzzles their interpretation gives rise to.

2 Puzzles

2.1 Ignorance

Superlative and comparative quantifiers contrast in interesting ways with each other and with bare numerals in the inferences that they generate. Bare numerals generate exact quantity inferences, superlative modifiers ignorance inferences, comparative modifiers neither of the two:³

- (5) The band has three players \rightsquigarrow exactly three
- (6) The band has at least three players \rightsquigarrow ignorance
- (7) The band has more than two players \rightsquigarrow neither

The first challenge for semantic theory is to explain why these different effects are generated given that the determiners “ n ”, “more than $(n - 1)$ ” and “at least n ” are assumed to have the same denotation in standard generalised quantifier theory (Barwise and Cooper, 1981):

- (8) $n / \text{at least } n / \text{more than } (n - 1) \mapsto \lambda P \lambda Q. |P \cap Q| \geq n$

Why do only bare numerals express an exact meaning? And why do superlative modifiers imply ignorance about exact quantity while comparative modifiers do not, given that both appear equally uninformative about the intended number?

A standard answer to the first question (Kennedy, 2015; Krifka, 1987; Schwarz, 2013) assumes that bare numerals express exact meanings as part of their conventional meaning. This is the so called two-sided analysis of numerals,

³Cummins et al. (2012) observed that comparative quantifiers may receive enriched interpretation when they combine with “round” numerals as in (i):

- (i) More than 90 people got married today. \rightsquigarrow No more than 100 people got married today.

We will not consider these inferences here.

which we will also adopt (even though nothing in what follows hinges on this choice):

$$(9) \quad n \mapsto \lambda P \lambda Q. |P \cap Q| = n$$

A crucial observation towards an answer to the second question is that superlative numerals are not the only constructions that give rise to ignorance effects. The same is the case with plain disjunctions (Gazdar, 1976; Grice, 1989).

(10) Klaus married Paul or John. \rightsquigarrow speaker doesn't know who

(11) Klaus has three or four children. \rightsquigarrow speaker doesn't know how many

Also in the case of disjunction this ignorance effect is strong. In the introduction we observed the oddity of the following sentences:

(3-a) ?I have at least three children.

(4-a) ?A hexagon has at most 10 sides.

Similarly the following are odd because they suggest that the speaker doesn't know who they are married to or how many children they have:

(12) ?I married Paul or John.

(13) ?I have three or four children.

Based on these observations, we follow Büring (2008) and propose that the main difference between superlative and comparative modifiers is that only the former convey inherently disjunctive meanings:

(14) at least $n \mapsto \lambda P \lambda Q. |P \cap Q| > n \vee |P \cap Q| = n$ ($\equiv \lambda P \lambda Q. |P \cap Q| \geq n$)

(15) more than $n \mapsto \lambda P \lambda Q. |P \cap Q| > n$

(16) at most $n \mapsto \lambda P \lambda Q. |P \cap Q| < n \vee |P \cap Q| = n$ ($\equiv \lambda P \lambda Q. |P \cap Q| \leq n$)

(17) less than $n \mapsto \lambda P \lambda Q. |P \cap Q| < n$

What we need now is to derive the following ignorance inferences for superlative modifiers and disjunctions, while no such inference should be derived for the comparative modifier cases.

(18) Klaus married with Paul or John
 \rightsquigarrow (according to the speaker) it is possible that Klaus married with

Paul and it is possible that Klaus married with John.

- (19) The band has at least/at most three players
↔ (according to the speaker) it is possible that the band has exactly three player and it is possible that the band has more/less than three players.

Büring proposed to derive these inferences as conversational implicatures. The following section presents a strong argument in favour of such a pragmatic account. As we will see in later sections, however, neo-Gricean (Sauerland, 2004) as well as grammatical accounts of implicatures (Chierchia, 2004; Chierchia et al., 2012; Fox, 2007) have difficulties in scaling up to account for the whole range of facts.

2.2 Obviation

It has been observed by Nouwen (2010b) and Blok (2019) that the ignorance readings we saw in the previous section can be obviated once superlative modifiers appear in the scope of certain operators. In particular, if they appear in the scope of universal quantifiers and modals. Consider first the case of the universal quantifier:

- (20) Everyone read at least three books. ↗ ignorance

On its most prominent reading, (20) does not imply any ignorance. The example is felicitous in a situation where the speaker has full knowledge of the situation and simply conveys that no individual read less than three books.

Consider now the following modal case, which as Büring (2008) observed is ambiguous:

- (21) Paprika is required to read at least three books.
a. *Authoritative reading:*
It has to be the case that P reads three or more books.
↗ ignorance
b. *Epistemic reading:*
Three or more is such that P has to read that many books.
↔ ignorance

The most prevalent reading is one compatible with a situation where the speaker has full knowledge. Büring called it the authoritative reading. On this reading, Paprika is not allowed to read less than 3 books, but may read more. In such cases the speaker knows precisely what is and what is not allowed. No ignorance inference is generated.

On the less obvious epistemic reading, which Buring called speaker-insecurity reading, the speaker knows that there is some lower bound to how many books Paprika should read and that this lower bound is three or higher, but she does not know which of the two: it might be three or higher than three.

As an illustration of the authoritative reading, Buring proposes (22), encountered on a computer screen while creating a new account:

(22) The password must be at least five characters long.

Buring observes: “If it turns out that the password must in fact be seven (or more) characters long, we would object to [the sentence]”.

As an illustration of the epistemic reading Buring proposes:

(23) To become a member of this club, you have to pay at least \$200,000.

Buring observes “If it turns out that no donation of less than \$250,000 gets you into the club’s rank and file, what I said wasn’t false, nor infelicitous. I merely claimed that the minimum contribution was 200K, or more”.

Notice that again similar effects obtain with disjunction:

- (24) a. Paprika read two or three books \rightsquigarrow ignorance
 b. $\varphi \vee \psi \rightsquigarrow \Diamond \varphi \wedge \Diamond \psi$
- (25) a. Everyone read two or three books $\not\rightsquigarrow$ ignorance [obviation]
 b. $\forall x(\varphi \vee \psi) \not\rightsquigarrow \forall x(\Diamond \varphi \wedge \Diamond \psi)$
- (26) Paprika is required to read two or three books.
 a. authoritative $\not\rightsquigarrow$ ignorance [obviation]
 b. epistemic \rightsquigarrow ignorance

The challenge here is to explain the emergence of the ignorance effect in the plain case and its obviation in these embedded cases. Semantic accounts of ignorance inferences (e.g., Geurts and Nouwen, 2007; Nouwen, 2010b, who propose that superlative modifiers have an epistemic component as part of their lexical contribution) have problems in accounting for obviation, which instead is unproblematic for neo-Gricean pragmatic accounts (Buring, 2008; Kennedy, 2015; Schwarz, 2013). In pragmatic accounts, ignorance effects are treated as conversational implicatures, and therefore are expected to disappear in some embedded contexts. Pragmatic accounts however typically have difficulties in accounting for additional inferences obviation cases give rise to. These will be discussed in the following section.

2.3 Distribution and free choice

It has been observed that sentences with disjunction in the scope of a universal quantifier tend to give rise to distributive inferences that each of the disjuncts hold (Fox, 2007; Klinedinst, 2007; Spector, 2006).

- (27) Every woman in my family has two or three children.
 \rightsquigarrow Some woman has two and some woman has three children.

To be more precise, this inference is only generated in contexts where the speaker is assumed to have full knowledge of the situation. In situations of partial information something weaker obtains:

- (28) Every woman in my family has two or three children.
 \rightsquigarrow Some woman might have two and some woman might have three children.

Notice again the similarity with the case of superlative quantifiers:

- (29) Every woman in my family has at least three children.
- a. full knowledge \rightsquigarrow Some woman has three and some woman has more than three children.
 - b. partial information \rightsquigarrow Some woman might have three and some woman might have more than three children.

Disjunctions in the scope of a necessity modal give rise to similar distribution effects. We will call these \Box -free choice inferences:

- (30) a. To pass this course you are required to give a presentation or write a short paper \rightsquigarrow You are allowed to give a presentation and you are allowed to write a short paper
 b. $\Box(\varphi \vee \psi) \rightsquigarrow \Diamond\varphi \wedge \Diamond\psi$ (NB: $\neq \Diamond(\varphi \wedge \psi)$)

Similar inferences are generated for authoritative readings of modal sentences with superlative quantifiers:

- (31) a. To pass the course, you're required to read at least three books. (authoritative reading)
 b. \rightsquigarrow You are allowed to read three books and you are allowed to read more.

In neo-Gricean approaches, distribution and \Box -free choice inferences can be easily derived via negations of universal alternatives:

$$(32) \quad \forall x(\varphi \vee \psi) + \neg\forall x\varphi + \neg\forall x\psi \models \exists x\varphi \wedge \exists x\psi$$

$$(33) \quad \Box(\varphi \vee \psi) + \neg\Box\varphi + \neg\Box\psi \models \Diamond\varphi \wedge \Diamond\psi$$

But as experimentally attested by [Crnić et al. \(2015\)](#), distributive inferences may obtain in the absence of plain negated universal inferences. Consider the following sentence used in a situation where all brothers have been married to a woman, but one of the brothers married first a woman and then a man:

$$(34) \quad \begin{array}{l} \text{Every brother of mine has been married to a woman or a man.} \\ \rightsquigarrow \text{some brother has been married to a woman and some brother has} \\ \text{been married to a man (even in a situation where all brothers have been} \\ \text{married to a woman)} \end{array}$$

$$(34) \quad \forall x(\varphi \vee \psi) \rightsquigarrow \exists x\varphi \wedge \exists x\psi, \text{ even when } \not\rightarrow \neg\forall x\varphi$$

Furthermore eventually we also want to account for the classical cases of \Diamond -free choice inferences ([Kamp, 1974](#); [Zimmermann, 2000](#)):

$$(35) \quad \begin{array}{l} \text{a. You may have coffee or tea } \rightsquigarrow \text{ you may have coffee and you may} \\ \text{have tea} \\ \text{b. } \Diamond(\varphi \vee \psi) \rightsquigarrow \Diamond\varphi \wedge \Diamond\psi \end{array}$$

But \Diamond -free choice inferences are not easy to derive by standard Gricean reasoning:

$$(36) \quad \Diamond(\varphi \vee \psi) + \neg\Diamond\varphi + \neg\Diamond\psi \not\models \Diamond\varphi \wedge \Diamond\psi$$

Hence, neo-Gricean approaches have problems with both distribution inferences and free choice effects. More in general, note that the different behaviour of \exists and \Diamond in interaction with disjunction is surprising from a purely pragmatic (neo-Gricean) point of view:

$$(37) \quad \begin{array}{l} \text{a. } \forall x(\varphi \vee \psi) \rightsquigarrow \exists x\varphi \wedge \exists x\psi \quad \text{[distribution]} \\ \text{b. } \exists x(\varphi \vee \psi) \not\rightarrow \exists x\varphi \wedge \exists x\psi \end{array}$$

$$(38) \quad \begin{array}{l} \text{a. } \Box(\varphi \vee \psi) \rightsquigarrow \Diamond\varphi \wedge \Diamond\psi \quad \text{[}\Box\text{-free choice]} \\ \text{b. } \Diamond(\varphi \vee \psi) \rightsquigarrow \Diamond\varphi \wedge \Diamond\psi \quad \text{[}\Diamond\text{-free choice]} \end{array}$$

For a natural language example illustrating (37-b) consider the following which triggers no distribution effects but rather an ignorance inference:

$$(39) \quad \begin{array}{l} \text{a. Some woman in my family has two or three children.} \\ \not\rightarrow \text{some woman has two and some woman has three} \end{array}$$

- \rightsquigarrow some woman in my family might have two children and might have three children
- b. $\exists x(\varphi \vee \psi) \not\rightsquigarrow \exists x\varphi \wedge \exists x\psi$
 $\exists x(\varphi \vee \psi) \rightsquigarrow \exists x(\diamond\varphi \wedge \diamond\psi)$

Both distribution and free choice inferences can be captured by grammatical accounts of implicatures (Chierchia et al., 2012; Fox, 2007), which derive them by the application of *exh*, a grammaticalised operation of exhaustification. However, grammatical accounts do not allow us to derive ignorance effects for plain disjunction ($\text{exh}(\varphi \vee \psi) \not\models \diamond\varphi \wedge \diamond\psi$) unless we assume the presence of a covert epistemic modal operator ($\text{exh}(\Box(\varphi \vee \psi)) \models \diamond\varphi \wedge \diamond\psi$). This assumption however would create problems with obviation. Another problem arising for grammatical approaches to implicatures is discussed in the following section.

2.4 Negation

One of the advantages of pragmatic approaches to ignorance inferences is that they predict their cancellation under negation. For example, disjunction under negation behaves classically and this is predicted on a Gricean view:

- (40) a. Klaus didn't marry John or Bill \rightsquigarrow Klaus did not marry either of the two
 b. $\neg(\varphi \vee \psi) \rightsquigarrow \neg\varphi \wedge \neg\psi$

Notice that superlative quantifiers are in general infelicitous under negation:⁴

- (41) ?Klaus doesn't have at least/at most 3 children.

An account where ignorance effects are predicted to systematically disappear under negation, can explain the infelicity of (41) in terms of blocking. Indeed since the following equivalences hold

$$\neg(x \leq y) = \neg x = y \wedge \neg x < y = x > y$$

$$\neg(x \geq y) = \neg x = y \wedge \neg x > y = x < y$$

example (41) would turn out be equivalent to the simpler (42), and hence would be blocked by it:

- (42) Klaus has less/more than 3 children.

Since no simpler alternatives can be found for the case of plain disjunction under negation, (40) is still predicted to be felicitous on this account.

⁴Sentences like (41) can be used as reaction to previous utterances containing the same superlative quantifiers, but in those cases the blocking would not be warranted.

This simple explanation in terms of blocking would be more difficult (if not impossible) to adopt for the grammatical view, because there are more possible readings generated for (41) since *exh* is treated as a grammatical operator which can scopally interact with negation.

2.5 Summary and analysis of the observed phenomena

In the previous sections, we have discussed inference patterns generated by modified numerals and we have shown that the behaviour of superlative quantifiers share a strong resemblance to the behaviour of plain disjunctions. Given this striking similarity, we follow Büring (2008) and propose to analyse superlative quantifiers explicitly as disjunctions using the following notation:

$$(43) \quad \text{at least } n \varphi \mapsto \mathbf{n} \vee \mathbf{more}$$

$$(44) \quad \text{at most } n \varphi \mapsto \mathbf{n} \vee \mathbf{less}$$

Sentences with superlative and comparative modifiers will be then translated as follows, with only the former conveying disjunctive meanings:

$$(45) \quad \begin{array}{ll} \text{a.} & \text{The band has at least three players.} & [\text{Superlative}] \\ \text{b.} & \mathbf{three} \vee \mathbf{more} \end{array}$$

$$(46) \quad \begin{array}{ll} \text{a.} & \text{The band has at most three players.} & [\text{Superlative}] \\ \text{b.} & \mathbf{three} \vee \mathbf{less} \end{array}$$

$$(47) \quad \begin{array}{ll} \text{a.} & \text{The band has more than two players.} & [\text{Comparative}] \\ \text{b.} & \mathbf{more-than-two} \end{array}$$

$$(48) \quad \begin{array}{ll} \text{a.} & \text{The band has less than two players.} & [\text{Comparative}] \\ \text{b.} & \mathbf{less-than-two} \end{array}$$

Examples (49)-(55) summarizes the inference patterns discussed in the previous section, which constitute the desiderata of the formal system we will present in sections 3 and 4.

$$(49) \quad \begin{array}{ll} \text{a.} & \text{Klaus has at least three children.} & [\text{Ignorance}] \\ \text{b.} & (\mathbf{three} \vee \mathbf{more}) \rightsquigarrow \diamond \mathbf{three} \wedge \diamond \mathbf{more} \end{array}$$

$$(50) \quad \begin{array}{ll} \text{a.} & \text{Every woman in my family has at least} & [\text{Obviation}] \\ & \text{three children.} \\ \text{b.} & \forall x(\mathbf{three}(x) \vee \mathbf{more}(x)) \not\rightsquigarrow \forall x(\diamond \mathbf{three}(x) \wedge \diamond \mathbf{more}(x)) \end{array}$$

$$(51) \quad \begin{array}{ll} \text{a.} & \text{Every woman in my family has at least} & [\text{Distribution}] \\ & \text{three children.} \\ \text{b.} & \forall x(\mathbf{three}(x) \vee \mathbf{more}(x)) \rightsquigarrow \exists x \mathbf{three}(x) \wedge \exists x \mathbf{more}(x) \end{array}$$

- (52) a. Every woman in my family has at least three children. [Distribution \diamond]
b. $\forall x(\mathbf{three}(x) \vee \mathbf{more}(x)) \rightsquigarrow \exists x \diamond \mathbf{three}(x) \wedge \exists x \diamond \mathbf{more}(x)$
- (53) a. You are required to read at least three books. [\square -free choice]
b. $\square(\mathbf{three} \vee \mathbf{more}) \rightsquigarrow \diamond \mathbf{three} \wedge \diamond \mathbf{more}$
- (54) a. You are allowed to read at least three books. [\diamond -free choice]
b. $\diamond(\mathbf{three} \vee \mathbf{more}) \rightsquigarrow \diamond \mathbf{three} \wedge \diamond \mathbf{more}$
- (55) a. ?Klaus does not have at least three children. [Negation]
b. $\neg(\mathbf{three} \vee \mathbf{more}) \rightsquigarrow \neg \mathbf{three} \wedge \neg \mathbf{more}$

Table 1 summarizes the predictions of some previous approaches, where “?” means that the specific inference is not explicitly addressed by the relevant approach.

	Ignorance	Obviation	Distribution & FC	Negation
Semantic	yes	no	?	no
Neo-Gricean	yes	yes	no	yes
Grammatical view	no	no	yes	no

Table 1: Comparison of results of different approaches

In the following sections we will develop a framework in which these inferences can be derived rigorously. As we have indicated, analysing superlative numerals in terms of disjunction is not new. Our analysis however will differ from previous approaches because we will use a different way of deriving pragmatic effects of disjunction using pragmatic enrichments as introduced in Aloni (2021). The ignorance and free choice effects in Examples (49), (53) and (54), and the negation fact in (55) will follow automatically by adopting Aloni (2021)’s mechanism of pragmatic intrusion (see Section 4.3). To account for the obviation fact in Example (50) and the distribution facts in Examples (51) and (52) we will raise the framework of Aloni (2021) to the first-order case.

3 A logic based account

In the following sections we will present a logic-based account where ignorance and related inferences will follow as “reasonable inferences” in the sense of Stalnaker (1975). We understand a reasonable inference not as a semantic relation but as a pragmatic one, which relates speech acts rather than propositions. To derive reasonable inference we employ a state-based modal logic modeling assertion and rejection conditions rather than truth.

Where classical modal logic interprets formulas with respect to a single possi-

ble world, state-based modal logic interprets formulas with respect to a state modelled as a set of possible worlds. In the propositional case, developed in Aloni (2021), this amounts to the following. Let $\mathcal{M} = \langle W, R, V \rangle$ be a Kripke model, where W is a non-empty set of worlds, $R \subseteq W \times W$ a two-place relation over W and V a world-dependent valuation function assigning truth values to propositional variables of the language.

Classical modal logic models *truth* in a possible world (an element of W) while state-based modal logic models *support* in an information state (a subset of W):

$$\begin{aligned} \mathcal{M}, w \models \varphi, \text{ where } w \in W & \qquad \qquad \qquad \text{(Classical)} \\ \mathcal{M}, w \models \varphi, \text{ where } w \subseteq W & \qquad \qquad \qquad \text{(State-based)} \end{aligned}$$

Aloni (2021) employs a *bilateral* version of state-based modal logic which defines both *support* (\models) and *anti-support* ($\models\!\!\!\!\!\!/\!$) conditions meant to capture the assertability and rejectability of a sentence in an information state.⁵

In our first-order extension of state-based modal logic, the elements of a state, the possibilities or indices as we will call them, are pairs of worlds and (partial) assignments.

Example 3.1 (An example of a pointed model \mathcal{M}, s).

Before we continue let's have a look at an example model in Figure 1 to get a better understanding of our intended models.

Worlds in this example (and the ones throughout this paper) will be designated by letters w, v, u , etc. together with a subscript indicating what is the case in that world. So w_{Pa} is the world w in which some object a has property P .

The arrows indicate which worlds are R -related.

In this model s consists of the following indices:

$$s = \{ \langle w_{Pa}, g[x/a] \rangle, \langle w_{PaPb}, g[x/a] \rangle, \langle w_{PaPb}, g[x/b] \rangle, \langle w_{Pb}, g[x/b] \rangle \},$$

where $g[x/d]$ means the assignment function g that maps variable x onto object d in some domain D .

In state-based systems to be supported in a state you normally must be true in all possibilities. It is then easy to see for instance that $\mathcal{M}, s \models Px$ because in each $i \in s$ the value of x in i is P . It is also clear that $\mathcal{M}, s \not\models Pa$ because for instance a is not P in w_{Pb} and therefore Pa is not supported by all $i \in s$. The same is the case for Pb : $\mathcal{M}, s \not\models Pb$.

Of course, the relation R in the model does not have influence on the formulas we just evaluated and this will only become relevant when we will discuss modal formulas.

⁵Information states are then less determinate entities than possible worlds and are comparable to truthmakers (Fine, 2017; van Fraassen, 1969), possibilities (Holliday, 2018; Humberstone, 1981) or situations (Barwise and Perry, 1983).




Figure 1: A simple model \mathcal{M}

The partial nature of an information state makes state-based systems particularly suitable for capturing phenomena at the semantics-pragmatics interface, including anaphora (Dekker, 2012; Groenendijk and Stokhof, 1991; Groenendijk et al., 1996), questions (Ciardelli and Roelofsen, 2011; Ciardelli et al., 2018), epistemic modals (Veltman, 1996).

3.1 Split disjunction, non-emptiness and pragmatic enrichment

An important conclusion of Section 2 was that modified numerals, specifically superlative quantifiers, behave similarly as disjunctions do. This led to the assumption that superlative quantifiers should be analysed as disjunctions.

In previous state-based accounts of modified numerals (Blok, 2019; Coppock and Brochhagen, 2013) they were analysed in terms of *inquisitive disjunctions* (Ciardelli and Roelofsen, 2011), we will instead adopt a notion of disjunction from dependence logic and team logic, called *split (or tensor) disjunction* (Cresswell, 2004; Hawke and Steinert-Threlkeld, 2018; Väänänen, 2007; Yang and Väänänen, 2017).

We say that an information state s supports a split disjunction $\varphi \vee \psi$ iff s is the union of two substates each supporting one of the disjuncts:

$$\mathcal{M}, s \models \varphi \vee \psi \text{ iff } \exists t, t' : t \cup t' = s \text{ and } \mathcal{M}, t \models \varphi \text{ and } \mathcal{M}, t' \models \psi.$$

A result of our logic is that an empty state will support any classical formula. Note that this fact together with the notion of split disjunction above entails that whenever we have a state that supports a formula φ we can always find a substate, namely the empty state, such that the state will support the disjunction $\varphi \vee \psi$, where ψ is classical and arbitrary.

Aloni (2021) defines a *pragmatic enrichment function*, by using the non-emptiness atom NE from team logic (Yang and Väänänen, 2017), which will bar the empty substate as a possible state for evaluation. As a result, a pragmatically enriched

disjunction $(\varphi \vee \psi)^+$ is supported by a state s iff there are two *non-empty* states t, t' such that $t \cup t' = s$ and $t \models \varphi$ and $t' \models \psi$.

As an example of how pragmatic enrichment will allow us to derive the ignorance effect, consider Figure 2.




Figure 2: Ignorance inference follows from pragmatic enrichment

The model and state in Figure 2a support $(Pa \vee Pb)^+$ because the state can be split into two non-empty substates, the states t and t' represented in Figure 2b, each supporting one of the disjuncts. The modalized conjuncts $\Diamond Pa$ and $\Diamond Pb$ then follow in part by requiring the relation to be *state-based* which we will explain in Section 4.1.1. Notice that in each of the two singleton states in 2b classical $Pa \vee Pb$ is satisfied but its pragmatically enriched version $(Pa \vee Pb)^+$ is not.

In combination with the right notion of modality, quantification and negation, the resulting system will predict all the inferences observed in previous sections.

4 Quantified Bilateral State-based Modal Logic (QBSML)

The system we propose extends the bilateral framework of Aloni (2021) to the first-order case. Like Aloni's BSML, QBSML is a modal predicate logic with state-based semantics that defines conditions of assertion and rejection rather than conditions of truth.

We start by defining the language.

Definition 4.1 (Language). The language \mathcal{L} of state-based first-order modal logic is built up from predicate constants $P^n \in \mathcal{P}^n$, with $n \in \mathbb{N}$, individual constants $c \in \mathcal{C}$ and variables $x \in \mathcal{V}$.

$$\begin{aligned}
 t &::= c \mid x \\
 \varphi &::= P^n t_1 \dots t_n \mid \neg \varphi \mid \varphi \wedge \varphi \mid \varphi \vee \varphi \mid \exists x \varphi \mid \forall x \varphi \mid \Box \varphi \mid \mathbf{NE}
 \end{aligned}$$

Definition 4.2 (Model). A model for \mathcal{L} is a quadruple $\mathcal{M} = \langle W, D, R, I \rangle$, where W is set of worlds, D is a non-empty domain, R is an accessibility relation on

$W, I : W \times \mathcal{C} \cup \mathcal{P}^n \rightarrow D \cup \wp(D^n)$ is an interpretation function which assigns entities to individual constants and sets of entities to predicate letters relativized to worlds $w \in W$:

$$I(w)(\gamma) = \begin{cases} d \in D & \text{if } \gamma \in \mathcal{C}, \\ S^n \subseteq D^n & \text{if } \gamma \in \mathcal{P}^n. \end{cases}$$

Contrary to classical modal predicate logic, formulas will be interpreted with respect to states, rather than a world. A state is a set of indices. An index i is a pair $i = \langle w_i, g_i \rangle$ consisting of a world $w_i \in W$ and a partial assignment function $g_i : \mathcal{V} \rightarrow D$.⁶ We may think of an information state as encoding information about the value of variables restricted to worlds. We require for all indices i, j in a state s that g_i has the same domain as g_j : $\text{dom}(g_i) = \text{dom}(g_j)$.

Given a model \mathcal{M} , the set of *information states* is defined as

$$\mathcal{S}_{\mathcal{M}} := \bigcup_{X \subseteq \mathcal{V}} \wp(W \times D^X).$$

We will use I^X to denote the set of indices $W \times D^X$ for some $X \subseteq \mathcal{V}$.

This paper models pragmatic effects that occur in discourse. We see discourse as starting out with an initial state where there is no information about the values of the variables, i.e., we have an empty assignment. See Figure 3 for an illustration of an initial information state $s = \{\langle w_{P_a P_b}, \emptyset \rangle, \langle w_{P_b}, \emptyset \rangle\}$.




Figure 3: Empty assignment

When we do learn the value of a variable this information is added to the information state. In order to capture this idea we will define a number of operation on states. Let's first fix some terminology.

Let $\mathcal{S}_{\mathcal{M}}$ be the set of information states of some model \mathcal{M} . We say a state s is *initial* if its domain X is empty. We say a state is of *minimal information* if it is initial and it contains all possible worlds. A state is of *maximal information* if it is a singleton set.

Next we use the following definitions for operations on states (building on Aloni, 2001; Dekker, 1993).

⁶See Dekker (1993); Heim (1982).

Definition 4.3.

$$g[x/d] := (g \setminus \{\langle x, g(x) \rangle\}) \cup \{\langle x, d \rangle\}$$

In the course of a discourse noun phrases are associated with variables. $g[x/d]$ adds x and set its value to d , if $x \notin \text{dom}(g)$, or, otherwise, resets the value of x to d . We write $i[x/d]$ when g_i is in i and d is assigned to x .⁷

Definition 4.4.

$$i[x/d] := \langle w_i, g_i[x/d] \rangle.$$

The individual x -extension of s , $s[x/d]$, is the state resulting from s by replacing the assignment g_i in each index $i \in s$ by $g_i[x/d]$.

Definition 4.5 (Individual x -extension of s).

$$s[x/d] := \{i[x/d] \mid i \in s\}, \text{ for some } d \in D.$$

See Figure 4 for an example where individual a is assigned to x extending the initial state $s = \{\langle w_{P_a P_b}, \emptyset \rangle, \langle w_{P_b}, \emptyset \rangle\}$.




Figure 4: Individual x -extension

The universal x -extension of s , $s[x]$, is the state which results by extending the state s with the assignment $g[x/d]$ for all $d \in D$. See Figure 5 for an example.

Definition 4.6 (Universal x -extension of s).

$$s[x] := \{i[x/d] \mid i \in s \ \& \ d \in D\}.$$

A functional x -extension of s is any state t where for each index $i \in s$ there is an index $j \in t$ such that $j = i[x/d]$ for some $d \in D$.

Definition 4.7 (Functional x -extension of s).

$$s[x/h] := \{i[x/d] \mid i \in s \ \& \ d \in h(i)\}, \text{ some function } h : s \rightarrow \wp(D) \setminus \emptyset.$$

Individual extensions and universal extensions are examples of functional extensions. But also the state depicted in Figure 6 is a functional extension of the




Figure 5: Universal x -extension, where $D = \{a, b\}$




Figure 6: A functional x -extension of s

state $s = \{\langle w_{P_a P_b}, \emptyset \rangle, \langle w_{P_b}, \emptyset \rangle\}$ with h mapping $\langle w_{P_a P_b}, \emptyset \rangle$ to $\{a\}$ and $\langle w_{P_b}, \emptyset \rangle$ to $\{b\}$.

However, the state represented in Figure 7 is not a functional extension of s because it does not contain any extension of index $\langle w_{P_a P_b}, \emptyset \rangle$, such index does not “survive” in it.




Figure 7: Not a functional x -extension of s

We next define the interpretation of terms:

Definition 4.8 (Terms).

$$\llbracket t \rrbracket_{\mathcal{M}, i} = \begin{cases} g_i(t) & \text{if } t \in \mathcal{V}, \\ I(w_i)(t) & \text{if } t \in \mathcal{C}. \end{cases}$$

⁷Technically, of course, i is an ordered pair and therefore g_i can not be an element of i but rather it's a coordinate of i .

Definition 4.9 (Support and anti-support). Let \mathcal{M} be a model, φ a formula of our language, and s a state. We define what it means for a formula φ to be supported or anti-supported at a state s in \mathcal{M} as follows.

$$\begin{array}{ll}
\mathcal{M}, s \models P^n t_1 \dots t_n & \text{iff } \forall i \in s : \langle [t_1]_{\mathcal{M}, i}, \dots, [t_n]_{\mathcal{M}, i} \rangle \in I(w_i)(P^n) \\
\mathcal{M}, s \models \neg P^n t_1 \dots t_n & \text{iff } \forall i \in s : \langle [t_1]_{\mathcal{M}, i}, \dots, [t_n]_{\mathcal{M}, i} \rangle \notin I(w_i)(P^n) \\
\mathcal{M}, s \models \neg \varphi & \text{iff } \mathcal{M}, s \models \varphi \\
\mathcal{M}, s \models \varphi & \text{iff } \mathcal{M}, s \models \neg \varphi \\
\mathcal{M}, s \models \varphi \vee \psi & \text{iff } \exists t, t' : t \cup t' = s \text{ and } \mathcal{M}, t \models \varphi \text{ and } \mathcal{M}, t' \models \psi \\
\mathcal{M}, s \models \neg(\varphi \vee \psi) & \text{iff } \mathcal{M}, s \models \neg \varphi \text{ and } \mathcal{M}, s \models \neg \psi \\
\mathcal{M}, s \models \varphi \wedge \psi & \text{iff } \mathcal{M}, s \models \varphi \text{ and } \mathcal{M}, s \models \psi \\
\mathcal{M}, s \models \neg(\varphi \wedge \psi) & \text{iff } \exists t, t' : t \cup t' = s \text{ and } \mathcal{M}, t \models \neg \varphi \text{ and } \mathcal{M}, t' \models \neg \psi \\
\mathcal{M}, s \models \Box \varphi & \text{iff } \forall i \in s : \mathcal{M}, R(w_i)[g_i] \models \varphi \\
\mathcal{M}, s \models \neg \Box \varphi & \text{iff } \forall i \in s : \exists X \subseteq R(w_i) \text{ and } X \neq \emptyset \text{ and } \mathcal{M}, X[g_i] \models \varphi \\
\mathcal{M}, s \models \text{NE} & \text{iff } s \neq \emptyset \\
\mathcal{M}, s \models \neg \text{NE} & \text{iff } s = \emptyset \\
\mathcal{M}, s \models \forall x \varphi & \text{iff } \mathcal{M}, s[x] \models \varphi \\
\mathcal{M}, s \models \neg \forall x \varphi & \text{iff } \mathcal{M}, s[x/h] \models \varphi, \text{ for some } h : s \rightarrow \wp(D) \setminus \emptyset \\
\mathcal{M}, s \models \exists x \varphi & \text{iff } \mathcal{M}, s[x/h] \models \varphi, \text{ for some } h : s \rightarrow \wp(D) \setminus \emptyset \\
\mathcal{M}, s \models \neg \exists x \varphi & \text{iff } \mathcal{M}, s[x] \models \varphi
\end{array}$$

We used the following abbreviations in the definition.

$$\begin{aligned}
X[g_i] &= \{ \langle w, g_i \rangle \mid w \in X \}, \\
R(w_i) &= \{ v \in W \mid w_i R v \}.
\end{aligned}$$

We will write $\mathcal{M}, s \not\models \varphi$ if a formula φ is not supported by s in \mathcal{M} .

We will use the following abbreviation: $\Diamond \varphi := \neg \Box \neg \varphi$, which gives us the following interpretation of the possibility modal.


$$\begin{array}{ll}
\mathcal{M}, s \models \Diamond \varphi & \text{iff } \forall i \in s : \exists X \subseteq R(w_i) \text{ and } X \neq \emptyset \text{ and } X[g_i] \models \varphi \\
\mathcal{M}, s \models \neg \Diamond \varphi & \text{iff } \forall i \in s : R(w_i)[g_i] \models \varphi
\end{array}$$

4.1 Quantifiers

The quantifiers in QBSML are defined as in team logic (Kontinen and Väänänen, 2009) and in versions of dynamic semantics. Notice that also the inquisitive existential quantifier (Ciardelli and Roelofsen, 2011; Ciardelli et al., 2018) can be defined in this framework using individual x -extensions rather than functional x -extensions. We use $\exists^1 x$ to denote this notion as in (Kontinen and Väänänen, 2009).

$$\mathcal{M}, s \models \exists^1 x \varphi \quad \text{iff} \quad \mathcal{M}, s[x/d] \models \varphi, \text{ for some } d \in D$$

Let's consider some examples. Figure 8 shows four models with states s , where $D = \{a, b\}$. The first, second and third model support the formula $\exists x Px$. Only the second and third model support the formula $\exists^1 x Px$, whereas only the third model supports $\forall x Px$.



$\mathcal{M}_1, s \models \exists x Px$	$\mathcal{M}_2 \models \exists x Px$	$\mathcal{M}_3, s \models \exists x Px$	$\mathcal{M}_4, s \models \exists x Px$
$\mathcal{M}_1, s \not\models \exists^1 x Px$	$\mathcal{M}_2 \models \exists^1 x Px$	$\mathcal{M}_3, s \models \exists^1 x Px$	$\mathcal{M}_4, s \models \exists^1 x Px$
$\mathcal{M}_1, s \models \forall x Px$	$\mathcal{M}_2 \not\models \forall x Px$	$\mathcal{M}_3, s \models \forall x Px$	$\mathcal{M}_4, s \models \forall x Px$

Figure 8: Examples of quantified formulas supported and rejected.

For instance $\mathcal{M}_1, s \models \exists x Px$ because for all worlds w in s there is some $d \in D$ such that $d \in I(w)(P)$. Instead, $\mathcal{M}_1, s \not\models \exists^1 x Px$ because there is no $d \in D$ such that $d \in I(w)(P)$ in all worlds w . The reason why $\mathcal{M}_3, s \models \forall x Px$ is that we have to consider the universal x -extension of the state s in \mathcal{M}_3 , see Figure 9.




Figure 9: Universal x -extension of \mathcal{M}_3

4.1.1 Modal formulas and state-based constraints on R

Modals are interpreted as in BSML and inquisitive modal logic (Ciardelli, 2016). In these systems evaluating $\Box\varphi$ or $\Diamond\varphi$ means evaluating φ with respect to the state consisting of the set of worlds accessible from the relevant points of evaluation. Since states here are sets of world-assignment pairs we need to specify the assignment parameter for example to determine how free variables would be evaluated in such a state. Therefore we interpret $\Box\varphi$ or $\Diamond\varphi$ by evaluating φ with respect to a state constructed by combining the worlds accessible from w_i with g_i , for each relevant i .

For example, $\mathcal{M}, s \models \Diamond Px$ iff for all $i \in s$ there is a non-empty subset X of $R(w_i)$ such that $X[g_i] \models \varphi$, i.e., we pair the assignment function g_i with the worlds in X .

If we look at \mathcal{M}, s in Figure 10. Then we see the following to be the case:

$$\begin{aligned} \mathcal{M}, s &\not\models Px \\ \mathcal{M}, s &\models \Diamond Px \end{aligned}$$




Figure 10: An example with modal formulas

In order to evaluate $\Diamond Px$ in state s , Px needs to be supported at least in a non-empty substate of the first state and in a non-empty substate of the second state depicted in Figure 11.




Figure 11: Px evaluated at substates of $R(w_i)[g_i]$.

In order to capture the special characteristic of epistemic modals relevant for our ignorance inference we define properties of the accessibility relation R (as in Aloni, 2021).

Definition 4.10. Let \mathcal{M} be a model and s a state on \mathcal{M} . We define s^\downarrow as

$$s^\downarrow := \{w \in W \mid \langle w, g \rangle \in s\}$$

and we say that R is *state-based* with respect to \mathcal{M}, s iff for all $w \in s^\downarrow$: $R(w) = s^\downarrow$. We say R is *indisputable* with respect to \mathcal{M}, s iff for all $w, v \in s^\downarrow$: $R(w) = R(v)$. We say that \mathcal{M}, s is *epistemic* or *indisputable*, respectively.

Note that if R is state-based then this implies that R is indisputable (see Figure 12). Even though we call a model where R is state-based *epistemic*, this does not mean the modal should be interpreted as a knowledge operator, but rather as an epistemic possibility operator, like ‘might’.




Figure 12: Models with different properties of R

4.2 Logical consequence and classicality of NE-free fragment

The logical consequence is defined in terms of preservation of support.

Definition 4.11 (Logical consequence). Let $\varphi, \psi \in \text{QBSML}$ with free variables contained in the sequence \vec{x} . Then $\varphi \models \psi$ iff for all \mathcal{M} and s , whose domain contains \vec{x} : if $\mathcal{M}, s \models \varphi$, then $\mathcal{M}, s \models \psi$.

It is easy to show that the current semantics validates a number of classical laws ($\varphi \equiv \psi$ is short for $\varphi \models \psi$ and $\psi \models \varphi$):

Fact 1 (Classical QBSML validities).

φ	\equiv	$\neg\neg\varphi$	<i>(Double Negation Elimination)</i>
$\neg(\varphi \vee \psi)$	\equiv	$\neg\varphi \wedge \neg\psi$	<i>(De Morgan Laws)</i>
$\neg(\varphi \wedge \psi)$	\equiv	$\neg\varphi \vee \neg\psi$	
$\neg\Box\varphi$	\equiv	$\Diamond\neg\varphi$	<i>(Duality \Box/\Diamond)</i>
$\neg\Diamond\varphi$	\equiv	$\Box\neg\varphi$	
$\neg\forall x\varphi$	\equiv	$\exists x\neg\varphi$	<i>(Duality \forall/\exists)</i>
$\neg\exists x\varphi$	\equiv	$\forall x\neg\varphi$	

However, not all classical validities are validated. For example, addition fails whenever NE occurs in one of the disjuncts: $\varphi \not\models \varphi \vee (\psi \wedge \text{NE})$.

In fact, the non-emptiness atom is the only source of non-classical behaviour. As stated in Proposition 4.1, the NE-free fragment of QBSML can be reduced to classical quantified modal logic.

Proposition 4.1. *Let $\varphi(\vec{x})$ be a NE-free formula of QBSML with free variables in \vec{x} . And let s be a state over \mathcal{M} whose domain contains \vec{x} . Then*

$$\mathcal{M}, s \models \varphi(\vec{x}) \text{ iff } \mathcal{M}, w \models_g \varphi(\vec{x}), \text{ for all } \langle w, g \rangle \in s$$

(where \models on the left is the state-based support relation, and \models on the right is the truth relation from classical quantified modal logic).

This result was proved for the propositional BSML by Anttila (2021, Propositions 2.2.2, 2.2.8 and 2.2.16). In order to show that it also holds for QBSML it is enough to show that, if φ is NE-free, $\forall x\varphi$, and $\exists x\varphi$ are flat, i.e., have the downward closed property, the union closure property and the empty state property. Note that given the duality of $\exists x$ and $\forall x$ all formulas of QBSML can be given in negation normal form, as was the case in BSML (Anttila, 2021, Propositions 2.2.6).

Fact 2. *Let $\forall x\varphi, \exists x\varphi$ be formulas of QBSML such that they do not contain an occurrence of NE. Then $\forall x\varphi$ and $\exists x\varphi$ have the downward closed property, the union closure property and the empty state property.*

Proof. We rely on the induction hypothesis given by Anttila (2021, Proposition 2.2.8).

$\forall x\varphi$. *Downward closed property:* If $\forall x\varphi$ does not contain NE we may assume by the induction hypothesis that φ is downward closed. Assume that $\mathcal{M}, s \models \forall x\varphi$ and that $t \subseteq s$. Observe that $t \subseteq s \iff t[x] \subseteq s[x]$. By $\mathcal{M}, s \models \forall x\varphi$ we have that $\mathcal{M}, s[x] \models \varphi$. By the induction hypothesis, we have that $\mathcal{M}, t[x] \models \varphi$, hence $\mathcal{M}, t \models \forall x\varphi$.

Union closure property: If $\forall x\varphi$ does not contain NE then by the induction hypothesis, φ has the union closure property. Assume that for some model \mathcal{M} and some non-empty set of states S on \mathcal{M} we have $\mathcal{M}, s \models \forall x\varphi$, for all $s \in S$. This means that $\mathcal{M}, s[x] \models \varphi$, for all $s \in S$. By the induction hypothesis, we have that the union of the universal extensions of $s \in S$, $\bigcup_{s \in S} \{S[x]\}$, supports φ . $\bigcup_{s \in S} \{S[x]\} = \bigcup S[x]$, so $\mathcal{M}, \bigcup S[x] \models \varphi$. We conclude $\mathcal{M}, \bigcup S \models \forall x\varphi$.

Empty state property: If $\forall x\varphi$ does not contain NE, then by the induction hypothesis φ has the empty state property. Let \mathcal{M} be some model \mathcal{M} then by the empty state property: $\mathcal{M}, \emptyset \models \varphi$. Clearly, $\emptyset[x] = \emptyset$, hence $\mathcal{M}, \emptyset \models \forall x\varphi$.

$\exists x\varphi$. *Downward closed property:* If $\exists x\varphi$ does not contain NE we may assume by the induction hypothesis that φ is downward closed. Assume that $\mathcal{M}, s \models \exists x\varphi$. By $\mathcal{M}, s \models \exists x\varphi$ we have that $\mathcal{M}, s[x/h] \models \varphi$, for some $h : s \rightarrow \wp(D) \setminus \emptyset$. Observe that $t \subseteq s \Rightarrow t[x/h|_t] \subseteq s[x/h]$. By the induction hypothesis: $\mathcal{M}, t[x/h|_t] \models \varphi$. Hence $\mathcal{M}, t \models \exists x\varphi$. As t was arbitrary we conclude that $\exists x\varphi$ is downward closed.

Union closure property: If $\exists x\varphi$ does not contain NE, then by the induction hypothesis, φ has the union closure property. Assume that for some model \mathcal{M} and some non-empty set of states S on \mathcal{M} we have $\mathcal{M}, s \models \exists x\varphi$, for all $s \in S$. This means that for all $s \in S$: $\mathcal{M}, s[x/h_s] \models \varphi$, for some $h_s : s \rightarrow \wp(D) \setminus \emptyset$. By the induction hypothesis we have that the union of the functional extensions of $s \in S$, supports φ : $\mathcal{M}, \bigcup_{s \in S} s[x/h_s] \models \varphi$. It is easy to see that $\bigcup_{s \in S} s[x/h_s]$ is itself a x -functional extension of $\bigcup S$. We conclude $\mathcal{M}, \bigcup S \models \exists x\varphi$.

Empty state property: If $\exists x\varphi$ does not contain NE we may assume by the induction hypothesis that φ has the empty state property: $\mathcal{M}, \emptyset \models \varphi$. Clearly, $\emptyset[x/h] = \emptyset$. Hence $\mathcal{M}, \emptyset \models \exists x\varphi$.

□

4.3 Pragmatic intrusion

The pragmatic enrichment function is defined in terms of a systematic intrusion of NE in the recursive process of meaning composition (as in Aloni, 2021).


Definition 4.12 (Pragmatic enrichment). A *pragmatic enrichment function* is

a mapping $(\cdot)^+$ from the NE-free fragment of \mathcal{L} to \mathcal{L} such that

$$\begin{aligned}
(Pt_1 \dots t_n)^+ &= Pt_1 \dots t_n \wedge \text{NE} \\
(\neg\varphi)^+ &= \neg\varphi^+ \wedge \text{NE} \\
(\varphi \vee \psi)^+ &= (\varphi^+ \vee \psi^+) \wedge \text{NE} \\
(\varphi \wedge \psi)^+ &= (\varphi^+ \wedge \psi^+) \wedge \text{NE} \\
(\Box\varphi)^+ &= \Box\varphi^+ \wedge \text{NE} \\
(\Diamond\varphi)^+ &= \Diamond\varphi^+ \wedge \text{NE} \\
(\exists x\varphi)^+ &= \exists x\varphi^+ \wedge \text{NE} \\
(\forall x\varphi)^+ &= \forall x\varphi^+ \wedge \text{NE}
\end{aligned}$$

Pragmatic enrichment has a crucial effect in combination with split disjunction. A state s supports a split disjunction $(\varphi \vee \psi)$ iff s can be split into two substates, each supporting one of the disjuncts. A state s supports a pragmatically enriched disjunction $(\varphi \vee \psi)^+$ iff s can be split into two *non-empty* substates, each supporting one of the disjuncts. In combination with a state-based accessibility relation this will derive ignorance effects. See Figure 13 for illustrations.

As shown in Aloni (2021), pragmatic enrichment has non-trivial effects in combination with positive disjunctions and *only* in these cases. This will allow us to account for ignorance, distribution and free choice inference while avoiding counterintuitive results in other configurations, in particular under negation.



$$\begin{aligned}
\mathcal{M}_1, s &\models Pa \vee Pb & \mathcal{M}_1, s &\not\models (Pa \vee Pb)^+ \\
\mathcal{M}_2, s &\models (Pa \vee Pb)^+ & \mathcal{M}_2, s &\models \Diamond Pa \wedge \Diamond Pb \\
\mathcal{M}_3, s &\models (Pa \vee Pb)^+ & &
\end{aligned}$$

Figure 13: Examples with pragmatically enriched formulas

5 Results

We are finally in a position to revisit Section 2.5 and show that our theory fulfills the desiderata we formulated there.

Using pragmatic enrichment we derive all our desiderata including ignorance and its obviation, distribution, free choice and classical behaviour under negation. In (56)-(58) the Diamond is interpreted epistemically (for which we assume a state-based accessibility relation as in (as in Aloni, 2018, 2021)).

- (56) a. Klaus has at least three children. [Ignorance]
 b. $(\mathbf{three} \vee \mathbf{more})^+ \models \Diamond \mathbf{three} \wedge \Diamond \mathbf{more}$
- (57) a. Every woman in my family has at least three children. [Obviation]
 b. $(\forall x(\mathbf{three}(x) \vee \mathbf{more}(x)))^+ \not\models \forall x(\Diamond \mathbf{three}(x) \wedge \Diamond \mathbf{more}(x))$
- (58) a. Every woman in my family has at least three children. [Distribution \diamond]
 b. $(\forall x(\mathbf{three}(x) \vee \mathbf{more}(x)))^+ \models \exists x \Diamond \mathbf{three}(x) \wedge \exists x \Diamond \mathbf{more}(x)$
- (59) a. You are required to read at least three books. [\square free choice]
 b. $(\square(\mathbf{three} \vee \mathbf{more}))^+ \models \Diamond \mathbf{three} \wedge \Diamond \mathbf{more}$
- (60) a. You are allowed to read at least three books. [\diamond free choice]
 b. $(\diamond(\mathbf{three} \vee \mathbf{more}))^+ \models \Diamond \mathbf{three} \wedge \Diamond \mathbf{more}$
- (61) a. ?Klaus does not have at least three children. [Negation]
 b. $(\neg(\mathbf{three} \vee \mathbf{more}))^+ \models \neg \mathbf{three} \wedge \neg \mathbf{more}$

In the remaining of this section we give proofs of these facts.

5.1 Ignorance

The ignorance inference is derived for pragmatically enriched disjunctions, assuming a state-based accessibility relation.

Fact 3.

$$(Pa \vee Pb)^+ \models \Diamond Pa \wedge \Diamond Pb \quad [if R is state-based]$$

Proof. Assume we have a model and a state such that $\mathcal{M}, s \models (Pa \vee Pb)^+$ and assume R is state-based in (\mathcal{M}, s) . This means that $\mathcal{M}, s \models (Pa \wedge \mathbf{NE}) \vee (Pb \wedge \mathbf{NE})$. It follows that there must be non-empty t, t' such that $t \cup t' = s$ and $\mathcal{M}, t \models Pa$ and $\mathcal{M}, t' \models Pb$. Since R is state-based, it is also reflexive. By reflexivity of R we can be sure that $\mathcal{M}, t \models \Diamond Pa$ and $\mathcal{M}, t' \models \Diamond Pb$. Since $t \subseteq s$ we have $\mathcal{M}, s \models \Diamond Pa$ and since $t' \subseteq s$ we have $\mathcal{M}, s \models \Diamond Pb$. Hence $\mathcal{M}, s \models \Diamond Pa \wedge \Diamond Pb$. \square

This result can easily be generalised to arbitrary φ .

5.2 Obviation

The ignorance inference does not arise when disjunction occurs in the scope of a universal or a deontic modal operator. We show this only for the universal quantifier case. In Fact 4 we assume again that \Diamond is an epistemic modal, relying on a state-based accessibility relation:

Fact 4.

$$\forall x(Px \vee Qx)^+ \not\models \forall x(\Diamond Px \wedge \Diamond Qx)$$

Proof. Consider the following counter-example.




Figure 14

This state supports $\forall x(Px \vee Qx)^+$, because its universal extension supports $(Px \vee Qx)^+$. Split the state horizontally and the two non-empty substates support Px and Qx , respectively. Specifically, in this example this is true because the domain contains two objects.




Figure 15

But it does not support $\forall x(\Diamond Px \wedge \Diamond Qx)$, because its universal extension does not support $\Diamond Px \wedge \Diamond Qx$. The first substate in Figure 16 below does not support $\Diamond Qx$ and the other substate does not support $\Diamond Px$.

□

Notice that the ambiguity of the deontic cases between epistemic and authoritative readings is expressed as a scope ambiguity with the disjunction taking




Figure 16

wide scope with respect to the modal operator in the epistemic case. A full approach of these cases however requires a multi-modal system where \Box_d is a deontic modal and \Diamond_e is an epistemic one:

- (62) Paprika is required to read two or three books.
- a. Authoritative: $\Box_d(Pa \vee Pb)^+ \models \Box_d Pa \wedge \Box_d Pb$
 - b. Epistemic: $(\Box_d Pa \vee \Box_d Pb)^+ \models \Diamond_e \Box_d Pa \wedge \Diamond_e \Box_d Pb$

5.3 Distribution

We also predict the following distribution fact. In a situation of full information $\forall x(Px \vee Qx)^+$ implies $\exists xPx \wedge \exists xQx$.

Fact 5. *Assume s is a state of maximal information, i.e., $\text{card}(s) = 1$. Then*

$$M, s \models (\forall x(Px \vee Qx))^+ \Rightarrow M, s \models \exists xPx \wedge \exists xQx$$

Proof. Assume $\mathcal{M}, s \models (\forall x(Px \vee Qx))^+$ and $\text{card}(s) = 1$. Let $s = \{i\}$. By definition, we have that $\mathcal{M}, s[x] \models (Px \wedge \text{NE}) \vee (Qx \wedge \text{NE})$. It follows that there are non-empty $t, t' \subseteq s[x]$ such that $\mathcal{M}, t \models Px$ and $\mathcal{M}, t' \models Qx$. Since $s = \{i\}$, both t and t' will contain extensions of one and the same world w_i and so we can be sure that there is some functional x -extension of s which supports Px and some which supports Qx . Hence $\mathcal{M}, s \models \exists xPx \wedge \exists xQx$. \square

Without the assumption of full information we derive something weaker.

Fact 6.

$$(\forall x(Px \vee Qx))^+ \models \exists x \Diamond Px \wedge \exists x \Diamond Qx \quad [\text{if } R \text{ is state-based}]$$

Proof. Assume we have a model \mathcal{M} , a state s and R is state-based. Assume that $\mathcal{M}, s \models (\forall x(Px \vee Qx))^+$. From this it follows that there are non-empty t, t' such that $t \cup t' = s[x]$ and $\mathcal{M}, t \models Px$ and $\mathcal{M}, t' \models Qx$.

1. We need to show that $\mathcal{M}, s \models \exists x \diamond Px$. From $\mathcal{M}, s \models Px$, it follows that there is at least one index $i \in s$ and a $d \in D$ such that $i[x/d]$ supports Px . Let $X = \{i\}$ and suppose that $g_i(x) = d$. If we take the x -extension $s[x/d]$, then we can be sure that $s[x/d] \models \diamond Px$. Since R is state-based we can access w_i from anywhere in s and it follows that for every $j \in s[x/d]$, there exists an $X \subseteq R(w_j)$ such that $X \neq \emptyset$ and $X[g_j] \models Px$. Since individual x -extensions are particular cases of functional x -extensions, we conclude $\mathcal{M}, s \models \exists x \diamond Px$.
2. The case for Qx is analogous.

We have shown that $\mathcal{M}, s \models \exists x \diamond Px$ and that $\mathcal{M}, s \models \exists x \diamond Qx$. We conclude that $\mathcal{M}, s \models \exists x \diamond Px \wedge \exists x \diamond Qx$. \square

5.4 Free choice

For pragmatically enriched sentences we predict \square and \diamond free choice inferences (as in Aloni, 2021) but also cases of so-called universal FC, which have been attested experimentally by Chemla (2009):

- (63) a. All of the boys may go to the beach or to the cinema.
 \rightsquigarrow All of the boys may go to the beach and all of the boys may go to the cinema.
- b. $\forall x \diamond (\varphi \vee \psi) \rightsquigarrow \forall x \diamond \varphi \wedge \forall x \diamond \psi$

Fact 7 (\square -free choice).

$$\square(Pa \vee Pb)^+ \models \diamond Pa \wedge \diamond Pb$$

Proof. Let \mathcal{M} be a model and s a state based on \mathcal{M} . Assume $\mathcal{M}, s \models \square(Pa \vee Pb)^+$. It follows that for every $i \in s$: $R(w_i)[g_i] \models (Pa \vee Pb)^+$. This means there are non-empty $t, t' \subseteq R(w_i)[g_i]$ and $t \models Pa$ and $t' \models Pb$. But this means that for every $i \in s$ there exists a non-empty $X \subseteq R(w_i)$ such that $X[g_i] \models Pa$ and a non-empty $X' \subseteq R(w_i)$ such that $X'[g_i] \models Pb$. We conclude that $\mathcal{M}, s \models \diamond Pa \wedge \diamond Pb$. \square

Fact 8 (\diamond -free choice).

$$\diamond(Pa \vee Pb)^+ \models \diamond Pa \wedge \diamond Pb$$

Proof. Similar to the proof of Fact 7. See also Aloni (2021, Fact 4). \square

Fact 9 (Universal free choice).

$$\forall x \diamond (Px \vee Qx)^+ \models \forall x \diamond Px \wedge \forall x \diamond Qx$$

Proof. Suppose $M, s \models \forall x \Diamond (Px \vee Qx)^+$, which implies $M, s[x] \models \Diamond (Px^+ \vee Qx^+)$ and $s \neq \emptyset$. Let $i \in s[x]$. $M, s[x] \models \Diamond (Px^+ \vee Qx^+)$ means that there is a non-empty $X \subseteq R[w_i]$ such that $M, X[g_i] \models (Px^+ \vee Qx^+)$. Therefore there are some t_1, t_2 such that $X[g_i] = t_1 \cup t_2$ and $M, t_1 \models Px^+$ and $M, t_2 \models Qx^+$. It follows that $t_1 \neq \emptyset$ and $M, t_1 \models Px$. Since i was arbitrary we conclude $M, s[x] \models \Diamond Px$, and therefore $M, s \models \forall x \Diamond Px$. By the same reasoning we conclude $M, s \models \forall x \Diamond Qx$ and therefore $M, s \models \forall x \Diamond Px \wedge \forall x \Diamond Qx$. \square

All these results can easily be generalised to arbitrary φ, ψ .

5.5 Behaviour under negation

We conclude the section by proving that ignorance effects disappear under negation (see Aloni, 2021, for a generalisation of this result).

Fact 10.

$$\neg(Pa \vee Pb)^+ \models \neg Pa \wedge \neg Pb$$

Proof. Assume $\mathcal{M}, s \models \neg(Pa \vee Pb)^+$. It follows that $s \neq \emptyset$ and $\mathcal{M}, s \models (Pa \vee Pb)^+$. This means that $\mathcal{M}, s \models Pa \wedge \text{NE}$ and $\mathcal{M}, s \models Pb \wedge \text{NE}$. Since $s = s \cup \emptyset$, and $\mathcal{M}, \emptyset \models \text{NE}$, it follows that $\mathcal{M}, s \models Pa$ and $\mathcal{M}, s \models Pb$, which means that $\mathcal{M}, s \models \neg Pa$ and $\mathcal{M}, s \models \neg Pb$. We conclude $\mathcal{M}, s \models \neg Pa \wedge \neg Pb$. \square

This means that we can account for the infelicity of (64) in terms of blocking as explained in Section 2.4.

(64) ? John does not have at least three children.

6 Conclusion

We have addressed a number of puzzles arising for the interpretation of modified numerals. Following Buring and others we have assumed that the main difference between comparative and superlative modifiers is that only the latter convey disjunctive meanings. We further argued that the inference patterns triggered by disjunction and superlative modifiers are hard to capture in existing semantic and pragmatic analyses of these phenomena (neo-Gricean or grammatical alike), and we have proposed a novel account of these inferences in the framework of bilateral state-based modal logic defining a first order extension of Aloni's BSML. In this framework, next to literal meanings (the NE-free fragment of the language, ruled by classical logic), also pragmatic factors (NE) are modelled and the additional inferences that arise from their interaction (ignorance, distribution, free choice). The intruding pragmatic factor represented by NE, connects to a tendency of language users to neglect the empty state, an abstract element comparable to the zero in mathematics. In future work we

would like to seek corroboration by conducting experiments and test our predictions. This would perhaps also shed more light on the tendency to neglect the empty state and the cognitive plausibility of the framework.

References

- Maria Aloni. *Quantification under Conceptual Covers*. PhD thesis, Institute for Logic, Language and Computation. University of Amsterdam, 2001. URL <https://www.illc.uva.nl/cms/Research/Publications/Dissertations/DS-2001-01.text.pdf>. ILLC Dissertation Series 2001-01. (Cited on page 15.)
- Maria Aloni. FC disjunction in state-based semantics. Manuscript. [http://maloni.humanities.uva.nl/resources/draft-nyu\(revised\).pdf](http://maloni.humanities.uva.nl/resources/draft-nyu(revised).pdf), 2018. (Cited on page 25.)
- Maria Aloni. Logic and conversation: the case of free choice. *Submitted*, 2021. URL <https://semanticsarchive.net/Archive/ThiNmIzM/Aloni21.pdf>. (Cited on pages 1, 2, 3, 11, 12, 13, 14, 21, 23, 24, 25, 28, and 29.)
- Aleksi Anttila. The logic of free choice axiomatizations of state-based modal logics. Master’s thesis, Institute for Logic, Language and Computation (ILLC), University of Amsterdam, 2021. <https://eprints.illc.uva.nl/id/document/11126>. (Cited on page 22.)
- Jon Barwise and Robin Cooper. Generalized quantifiers and natural language. *Linguistics and Philosophy*, 4(2):159–219, 1981. (Cited on page 3.)
- Jon Barwise and John Perry. *Situations and Attitudes*. MIT Press, Cambridge, MA, 1983. (Cited on page 12.)
- Dominique Blok. *Scope Oddity. On the semantic and pragmatic interactions of modified numerals, negative indefinites, focus operators, and modals*. PhD thesis, Universiteit Utrecht, 2019. URL https://www.lotpublications.nl/Documents/537_fulltext.pdf. (Cited on pages 2, 5, and 13.)
- Daniel Büring. The least at least can do. In Charles B. Chang and Hannah J. Haynie, editors, *Proceedings of the 26th West Coast Conference on Formal Linguistics (WCCFL 26)*, pages 114–120, 2008. (Cited on pages 2, 4, 5, 6, and 10.)
- Emmanuel Chemla. Universal implicatures and free choice effects: Experimental data. *Semantics & Pragmatics*, 2(2):1–33, 2009. URL <https://semprag.org/index.php/sp/article/view/sp.2.2>. (Cited on page 28.)
- Gennaro Chierchia. Scalar implicatures, polarity phenomena, and the syntax/pragmatics interface. In Adriana Belletti, editor, *Structures and beyond: the cartography of syntactic structures. Vol. 3*, pages 39–103. Oxford University Press, Oxford, 2004. (Cited on pages 2 and 5.)

- Gennaro Chierchia, Danny Fox, and Benjamin Spector. Scalar implicature as a grammatical phenomenon. In Claudia Maienborn, Klaus von Stechow, and Paul Portner, editors, *Semantics. An International Handbook of Natural Language Meaning*, volume 33/3 of *Handbooks of Linguistics and Communication Science (HSK)*, chapter 87, pages 2297–2332. Mouton de Gruyter, 2012. (Cited on pages 2, 5, and 9.)
- Ivano Ciardelli. *Questions in Logic*. PhD thesis, Institute for Logic, Language and Computation. University of Amsterdam, 2016. URL <https://www.illc.uva.nl/cms/Research/Publications/Dissertations/DS-2016-01.text.pdf>. ILLC Dissertation Series 2016-01. (Cited on page 20.)
- Ivano Ciardelli and Floris Roelofsen. Inquisitive logic. *Journal of Philosophical Logic*, 40(1):55–94, 2011. (Cited on pages 13 and 18.)
- Ivano Ciardelli, Jeroen Groenendijk, and Floris Roelofsen. *Inquisitive semantics*. Oxford University Press, 2018. URL <https://library.oapen.org/handle/20.500.12657/25127>. (Cited on pages 13 and 18.)
- Elizabeth Coppock and Thomas Brochhagen. Raising and resolving issues with scalar modifiers. *Semantics and Pragmatics*, 6(3):1–57, 2013. <http://dx.doi.org/10.3765/sp.6.3>. (Cited on page 13.)
- Alexandre Cremers, Liz Coppock, Jakub Dotlačil, and Floris Roelofsen. Ignorance implicatures of modified numerals. Submitted. <https://semanticsarchive.net/Archive/mM40WQ4N/CCDR-ModifiedNumerals.html>, 2019. (Cited on page 2.)
- Maxwell J. Cresswell. Possibility semantics for intuitionistic logic. *The Australasian Journal of Logic*, 2, 2004. (Cited on page 13.)
- Luka Crnić, Emmanuel Chemla, and Danny Fox. Scalar implicatures of embedded disjunction. *Natural Language Semantics*, 23(4):271–305, 2015. (Cited on pages 2 and 8.)
- Chris Cummins, Uli Sauerland, and Stephanie Solt. Granularity and scalar implicature in numerical expressions. *Linguistics and Philosophy*, 35(2):135–169, 2012. URL <https://link.springer.com/content/pdf/10.1007/s10988-012-9114-0.pdf>. (Cited on page 3.)
- Paul Dekker. *Transsentential Meditations: Ups and Downs in Dynamic Semantics*. PhD thesis, Institute for Logic, Language and Computation. Universiteit van Amsterdam, 1993. URL <https://www.illc.uva.nl/cms/Research/Publications/Dissertations/DS-1993-01.text.pdf>. ILLC Dissertation Series 1993-01. (Cited on page 15.)
- Paul Dekker. *Dynamic Semantics*, volume 91 of *Studies in Linguistics and Philosophy*. Springer, 2012. (Cited on page 13.)

- Kit Fine. *Truthmaker Semantics*, chapter 22, pages 556–577. John Wiley & Sons, Ltd, 2017. ISBN 9781118972090. doi: <https://doi.org/10.1002/9781118972090.ch22>. URL <https://onlinelibrary.wiley.com/doi/abs/10.1002/9781118972090.ch22>. (Cited on page 12.)
- Danny Fox. Free choice disjunction and the theory of scalar implicatures. In Uli Sauerland and Penka Stateva, editors, *Presupposition and implicature in compositional semantics*, Palgrave Studies in Pragmatics, Language and Cognition, pages 71–120. Palgrave Macmillan, 2007. (Cited on pages 2, 5, 7, and 9.)
- Gerald Gazdar. *Formal Pragmatics for Natural Language*. PhD thesis, University of Reading, 1976. (Cited on page 4.)
- Bart Geurts and Rick Nouwen. At least et al.: the semantics of scalar modifiers. *Language*, 83(3):533–559, 2007. (Cited on pages 2 and 6.)
- Herbert Paul Grice. Logic and conversation. In Peter Cole and Jerry L. Morgan, editors, *Syntax and Semantics, vol. 3: Speech Acts*, pages 41–58. Academic Press, New York, 1975. Reprinted in Grice, Paul: 1989. *Studies in the Way of Words*. Cambridge, Massachusetts: Harvard University Press, pp 22–40. www.ucl.ac.uk/ls/studypacks/Grice-Logic.pdf. (Cited on page 2.)
- Herbert Paul Grice. *Studies in the Ways of Words*. Harvard University Press, 1989. Reprinted from a 1957 article. (Cited on pages 2 and 4.)
- Jeroen Groenendijk and Martin Stokhof. Dynamic predicate logic. *Linguistics and Philosophy*, 14(1):39–100, 1991. (Cited on page 13.)
- Jeroen Groenendijk, Martin Stokhof, and Frank Veltman. Coreference and modality. In Shalom Lappin, editor, *The Handbook of Contemporary Semantic Theory*, pages 179–213. Blackwell, Oxford, 1996. (Cited on page 13.)
- Martin Hackl. *Comparative Quantifiers*. PhD thesis, Massachusetts Institute of Technology, 2001. (Cited on page 1.)
- Peter Hawke and Shane Steinert-Threlkeld. Informational dynamics of epistemic possibility modals. *Synthese*, 195(10):4309–4342, 2018. (Cited on page 13.)
- Irene Heim. *The Semantics of Definite and Indefinite Noun Phrases*. PhD thesis, University of Massachusetts, 1982. (Cited on page 15.)
- Wesley H. Holliday. Possibility frames and forcing for modal logic. Technical report, UC Berkeley: Group in Logic and the Methodology of Science, 2018. Retrieved from <https://escholarship.org/uc/item/0tm6b30q>. (Cited on page 12.)
- I Lloyd Humberstone. From worlds to possibilities. *Journal of Philosophical Logic*, 10(3):313–339, 1981. (Cited on page 12.)
- Hans Kamp. Free choice permission. *Proceedings of the Aristotelian Soci-*

- ety*, 74(1):57–74, 1974. <https://doi.org/10.1093/aristotelian/74.1.57>. (Cited on pages 3 and 8.)
- Christopher Kennedy. A “de-Fregean” semantics (and neo-Gricean pragmatics) for modified and unmodified numerals. *Semantics and Pragmatics*, 8: 1–44, 2015. URL <https://semprag.org/article/view/sp.8.10>. (Cited on pages 2, 3, and 6.)
- Nathan Klinedinst. *Plurality and Possibility*. PhD thesis, University of California, Los Angeles, 2007. (Cited on page 7.)
- Juha Kontinen and Jouko Väänänen. On definability in dependence logic. *Journal of Logic, Language and Information*, 18(3):317–332, 2009. URL <https://link.springer.com/content/pdf/10.1007/s10849-009-9082-0.pdf>. (Cited on page 18.)
- Manfred Krifka. An outline of genericity. Technical Report SNS-Bericht 87–25, Seminar für natürlich-sprachliche Systeme, Tübingen University, Germany, 1987. (Cited on page 3.)
- Rick Nouwen. What’s in a quantifier? In Martin Everaert, editor, *The linguistics enterprise. From knowledge of language to knowledge in linguistics*, volume 150 of *Linguistik aktuell/linguistics today*, pages 235–256. John Benjamins Pub. Co., 2010a. (Cited on page 1.)
- Rick Nouwen. Two kinds of modified numerals. *Semantics and Pragmatics*, 3(3): 1–41, 2010b. URL <http://dx.doi.org/10.3765/sp.3.3>. (Cited on pages 1, 2, 5, and 6.)
- David Peleg. Concurrent dynamic logic. *J. ACM*, 34(2):450–479, apr 1987. ISSN 0004-5411. doi: 10.1145/23005.23008. URL <https://doi.org/10.1145/23005.23008>. (Not cited.)
- Uli Sauerland. Scalar implicatures in complex sentences. *Linguistics and Philosophy*, 27(3):367–391, 2004. (Cited on pages 2 and 5.)
- Bernhard Schwarz. At least and quantity implicature: Choices and consequences. In Maria Aloni, Michael Franke, and Floris Roelofsen, editors, *Proceedings of the 19th Amsterdam Colloquium*, pages 187–194. Institute for Logic, Language and Computation, 2013. (Cited on pages 2, 3, and 6.)
- Bernhard Schwarz. At least and ignorance: A reply to Coppock & Brochhagen 2013. *Semantics and Pragmatics*, 9:1–17, 2016. URL <https://semprag.org/article/view/sp.9.10>. (Cited on page 2.)
- Benjamin Spector. *Aspects de la pragmatique des opérateurs logiques*. PhD thesis, University of Paris VII, 2006. (Cited on page 7.)
- Robert Stalnaker. Indicative conditionals. *Philosophia*, 5(3):269–286, 1975. Reprinted in [Stalnaker \(1999\)](#), Chapter 3. (Cited on page 11.)

- Robert Stalnaker. *Context and content: Essays on intentionality in speech and thought*. Oxford cognitive science series. Oxford University Press, 1999. (Cited on page 33.)
- Jouko Väänänen. *Dependence Logic: A New Approach to Independence Friendly Logic*. Cambridge University Press, Cambridge, 2007. (Cited on page 13.)
- Bas C. van Fraassen. Presuppositions, supervaluations and free logic. In K. Lambert, editor, *The Logical Way of Doing Things*, pages 67–91. Yale University Press, 1969. (Cited on page 12.)
- Frank Veltman. Defaults in update semantics. *Journal of Philosophical Logic*, 25:221–261, 1996. (Cited on page 13.)
- Matthijs Westera and Adrian Brasoveanu. Ignorance in context: The interaction of modified numerals and quds. In Lucas Champollion and Anna Szabolcsi, editors, *Proceedings of the 24th Semantics and Linguistic Theory (SALT) Conference*, volume 24, pages 414–431, 2014. URL <https://journals.linguisticsociety.org/proceedings/index.php/SALT/article/view/24.414>. (Cited on page 2.)
- Fan Yang and Jouko Väänänen. Propositional team logics. *Annals of Pure and Applied Logic*, 168(7):1406–1441, 2017. (Cited on page 13.)
- Thomas Ede Zimmermann. Free choice disjunction and epistemic possibility. *Natural language semantics*, 8(4):255–290, 2000. (Cited on pages 3 and 8.)